

# GeoLux

Vesta's GeoLux collection features precisely machined, beautiful components from stainless steel and aluminum in popular finishes to provide a modern touch of elegance. A variety of bracket designs are available, thus creating a unique look and mounting flexibility. Portions of this collection can be combined with our popular Techno Track collection (see page 27 for more details).

#### AVAILABILITY:

special order 3-4 weeks, no returns

#### AVAILABLE FINISHES:

- B** = bronze  
**G** = gold  
**S** = silver  
**BL** = black  
**SS** = stainless steel

#### MATERIALS:

- aluminum, stainless steel

#### DIAMETER & BRACKETS:

- ▲ ¾"D: bracket required every 3-5 feet  
 ▼ 1½"D: bracket required every 5-7 feet

#### SHIPPING & ADDITIONAL NOTES:

Tube lengths exceeding 106" will incur significant additional freight charges. The collection's tube splice can be used to achieve longer spans while the required center bracket will help conceal the resulting seam. Aluminum components in B, G, S and BL are suitable for outdoor use with the purchase of the Outdoor Mounting Plate (#904001).

#### ABBREVIATION KEY:

- D** = diameter  
**H** = height  
**L** = length  
**P** = projection  
**W** = width  
**ID** = inside diameter  
**OD** = outside diameter

drapery hardware made easy!

- Innovative
- Functional
- Unique

800.638.3782  
 sales@ivesta.com



# GeoLux Collection

Availability: special order 3-4 weeks, no returns | Available Finishes: B, G, S, BL, SS | Materials: aluminum, stainless steel

## FINIALS

**Special Order**  
3-4 weeks, no returns



**End Cap**  
▲ #201300 - 7/8"W, 5/8"L  
\*shown in stainless steel (SS)



**Cylinder notched**  
▲ #201312 - 1 5/16"W, 3 3/8"L  
\*shown in stainless steel (SS)



**Frustrum notched**  
▲ #201315 - 1 3/8"W, 3 1/2"L  
\*shown in black (BL)



**Cylinder flush**  
▲ #201316 - 3/4"W, 1 3/16"L  
\*shown in bronze (B)



**Cylinder**  
▲ #201320 - 1 3/8"W, 2 3/4"L  
\*shown in stainless steel (SS)



**Sphere**  
▲ #201321 - 1 9/16"W, 2 1/2"L  
\*shown in silver (S)



**Frustrum flush**  
▲ #201331 - 1 1/8"W, 1 3/8"L  
\*shown in gold (G)



**Acute flush**  
▲ #201333 - 3/4"W, 2"L  
\*shown in silver (S)

## BRACKETS & ACCESSORIES

	<b>Lux wall bracket (short)</b> ▲ #202406 - 1 7/8"W, 2 9/16"P *includes screw cover	
	<b>Lux wall bracket (medium)</b> ▲ #202412 - 1 7/8"W, 4 3/4"P *includes screw cover	
	<b>Lux wall bracket (long)</b> ▲ #202413 - 1 7/8"W, 6"P *includes screw cover	
	<b>Lux double wall bracket</b> ▲ #202512 - 1 7/8"W, 2 9/16" & 4 3/4"P *includes screw cover	

	<b>Geo wall bracket (short)</b> ▲ #202410 - 1 7/8"W, 4"P
	<b>Geo wall bracket (long)</b> ▲ #202415 - 1 7/8"W, 6"P

**Outdoor Mounting Plate**  
▲ #904001  
\*with screws suitable for outdoor use

**Inside Mount**  
▲ #202007 - 1"W, 7/8"L

bronze (B)	gold (G)	silver (S)	black (BL)

**Aluminum Tubing**  
▲ #208060 - 3/4"D

\*sold by the foot but may be cut to specified lengths, no charge

**Stainless Steel Tubing**  
▲ #218110 - 3/4"D

\*sold by the foot but may be cut to specified lengths, no charge

**Tube Splice**  
▲ #208090 - 3/4"D, 4 3/4"L

**Rail/Tube Connector**  
▲ #209705 - 3/4"D  
\*adjusts 90° to 180°

**Flat Ring w/clip**  
▲ #206257  
1 1/8"ID, 1 1/4"OD

# GeoLux Collection

**Availability:** special order 3-4 weeks, no returns | **Available Finishes:** B, G, S, BL, SS | **Materials:** aluminum, stainless steel

## FINIALS



**End Cap**  
▼ #281300 - 1 1/4"W, 3/4"L  
\*shown in stainless steel (SS)



**Sphere notched**  
▼ #281321 - 1 1/8"W, 3"L  
\*shown in silver (S)



**Frustrum notched**  
▼ #281323 - 1 1/8"W, 4 1/4"L  
\*shown in black (BL)



**Cylinder flush**  
▼ #281331 - 1 1/8"W, 1 1/8"L  
\*shown in stainless steel (SS)




**Keg flush**  
▼ #281332 - 1 1/4"W, 2 3/4"L  
\*shown in gold (G)



**Frustrum flush**  
▼ #281333 - 1 1/2"W, 1 7/8"L  
\*shown in bronze (B)

*Special Order*  
+ 3-4 weeks, no returns

## BRACKETS & ACCESSORIES



\*illustration of Geo bracket

### COMPONENT SPOTLIGHT

The illustration above represents this collection's Geo bracket. The wall plate (1) extends a threaded piece through the face plate (2) which then attaches to the bracket base (3). The notched stem (4) of the bracket slides into the bracket base and is held in place by a set screw. Tubing is held firmly in place through the use of a set screw as well. This bracket can be used in a ceiling installation as long as you don't cut the stem to create a custom projection (thus losing the notched area).

- 1. wall plate
- 2. face plate
- 3. bracket base
- 4. stem



**Geo wall bracket (short)**  
▼ #282410 - 1 1/8"W, 5"P



**Geo wall bracket (long)**  
▼ #282415 - 1 1/8"W, 8"P



**Outdoor Mounting Plate**  
▼ #904001  
\*with screws suitable for outdoor use



**Inside Mount**  
▼ #282007 - 1 1/4"W, 1 1/16"L



**Aluminum Tubing**  
▼ #288060 - 1 1/8"D

\*sold by the foot but may be cut to specified lengths, no charge



**Stainless Steel Tubing**  
▼ #288110 - 1 1/8"D

\*sold by the foot but may be cut to specified lengths, no charge



**Tube Splice**  
▼ #288090 - 1 1/8"D, 6"L



**Rail/Tube Connector**  
▼ #289705 - 1 1/8"D  
\*adjusts 90° to 180°



**Flat Ring w/clip**  
▼ #286257  
1 3/4"ID, 1 7/8"OD

# GeoLux Collection

**Availability:** special order 3-4 weeks, no returns | **Available Finishes:** B, G, S, BL, SS | **Materials:** aluminum, stainless steel

## SPECIALTY HARDWARE NOTE

\*due to the lightweight properties of aluminum constructed parts, heavy lined and blackout lined treatments are not suitable for this collection

- ▲ color/shape indicates compatibility with 3/4"D tubing
- ▼ color/shape indicates compatibility with 1 1/8"D tubing



\*Geo Techno bracket



**Geo Techno**  
short wall bracket  
▲▼ #902440  
1 7/8"W, 4"P



**Geo Techno**  
long wall bracket  
▲▼ #902445  
1 7/8"W, 6"P



\*finished look when using the Geo Techno bracket

## CEILING BRACKETS

<p><b>Ceiling Bracket</b> short ▲▼ #902491 3/16"W, to 3/8"L</p>	<p><b>Ceiling Bracket</b> long ▲▼ #902493 3/16"W, to 1 3/8"L</p>	<p><b>Wall Plate</b> for ceiling bracket ▲▼ #901310 1"W</p>	<p><b>Ceiling Bracket</b> custom ▲▼ #904995 1 7/8"W, 1 1/8"-19 5/8"P</p>
---	--	---	--




\*finished look when using ceiling bracket

## Aluminum Geo Techno Track

- ▲ #208080 - 3/4"D
- ▼ #288080 - 1 1/8"D

\*sold by the foot but may be cut to specified lengths, no charge



\*due to the nature of these materials and the finishing process, a variance in finish is to be expected.

<p><b>Wand</b> #966100 39"L #966125 49"L #966150 59"L</p>	<p><b>Acrylic Wand</b> #968100 39"L</p>
---	---

<p><b>Glider Hook</b> short ▲▼ #906840 - grey</p>	
<p><b>Glider Hook</b> long ▲▼ #906839 - white ▲▼ #906839B - black</p>	
<p><b>Roller Glide</b> small ▲▼ #906522 - grey - 1/2"P ▲▼ #906522B - black - 1/2"P</p>	
<p><b>Roller Glide</b> large ▼ #906520 - white - 3/4"P ▼ #906521 - black - 3/4"P  *for 1 1/8"D track only</p>	
<p><b>Swivel Glide</b> ▼ #906525 - 1/2"P  *for 1 1/8"D track only</p>	

<p><b>Track Stop</b> ▲▼ #908992 - white ▲▼ #908992B - black</p>
<p><b>Track Connector</b> ▲▼ #908993</p>
<p><b>Swivel Track Connector</b> ▲▼ #908994</p>
<p><b>Disc Tieback</b> #903808 - 1 1/2"W, 3 1/2"P</p>